

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error
1	BRS	L1	384 2	(205/80 or 205/122 or 205/123 or 205/125 or 205/148 or 205/241 or 205/244 or 205/253 or 205/255 or 205/263 or 205/266 or 205/271 or 205/291 or 205/300 or 205/30	USP AT; US- PGP UB; EPO ; JPO ; DER WEN T; IBM TD	2004/04 /06 16:26			0
2	BRS	L2	799	1 and (electroplating or electroplated or electroplate or electrolytic or electrolysis or electrolytically) and tin	USP AT; US- PGP UB; EPO ; JPO ; DER WEN T.	2004/04 /06 16:27			0
3	BRS	L3	1	2 and pyrone	USP AT; US- PGP UB; EPO ; JPO ; DER WEN T.	2004/04 /06 16:29			0
4	BRS	L4	1	1 and pyrone	USP AT; US- PGP UB; EPO ; JPO ; DER WEN	2004/04 /06 16:30			0

	U	1	Document ID	Issue Date	Pag es	Title	Current OR	Current XRef
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6706418 B2	2004031 6	6	Metal alloy compositions and plating methods related thereto	428/647	205/123; 205/125; 205/241; 205/253; 205/302; 205/304; 205/80; 428/457; 428/646; 428/935; 504/291

	Retrieval Classif	Inventor	S	C	P	2	3	4	5	Image Doc. Displayed	PT
1		Egli, Andre et al.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	US 6706418	<input type="checkbox"/>